## CLAIM AMENDMENTS

## Please amend the claims as follows:

- 1. (Currently Amended) A method of coating the surface of substrates, eharacterized in that comprising the steps of bringing a solution of a polymer having derivatized hydroxyl and/or carboxyl groups and/or CN, halogen, and/or amino substituents is brought into contact with the surface of the substrate and whereby said derivatized hydroxyl and/or carboxyl groups or CN, halogen and/or amino substituents are solvolyzed so that the polymer is converted to a form showing reduced solubility.
- 2. (Currently Amended) A <u>The</u> method as <u>defined</u> <u>claimed</u> in claim 1, <u>eharacterized</u> in that <u>wherein</u> solvolysis is carried out only partially.
- 3. (Currently Amended) A The method as defined claimed in claim 1 or claim 2, characterized in that wherein the polymer has unsaturated groups in at least one of a side chains and/or the a backbone chain.
- 4. (Currently Amended) A <u>The</u> method as <u>defined</u> claimed in any one of claims 1 to 3, <u>characterized in that wherein</u> the polymer exhibits active groups and/or forms the same during solvolysis, which groups serve to immobilize the polymer.
- 5. (Currently Amended) A The method as defined claimed in any one of claims 1 to 3, characterized in that after further comprising the steps of coating the surface of the substrate has been coated with the polymer and immobilizing the polymer, immobilization is effected by means of a crosslinking reaction following the solvolysis.
- 6. (Currently Amended) A <u>The</u> method as <u>defined</u> <u>claimed</u> in claim 5, <u>characterized</u> in that <u>wherein</u> the crosslinking reaction is a free-radical reaction or an addition or condensation reaction.

- 7. (Currently Amended) A <u>The</u> method as <u>defined</u> claimed in any one of claims 4 to 6, characterized in that <u>further comprising the step of washing</u> the surface of the substrate is <u>washed</u> following immobilization of the polymer.
- 8. (Currently Amended) A The method as defined claimed in any one of claims 1 to 7, characterized in that wherein the substrate is a particulate substrate and that the polymer has a molar mass of from 1,000 to 50,000 g/mol.
- 9. (Currently Amended) A The method as defined claimed in any one of claims 1 to 7, characterized in that wherein the substrate is a flat substrate and that the polymer has a molar mass of from 1,000 to 500,000 g/mol.
- 10. (Currently Amended) A <u>The</u> method as <u>defined</u> <u>claimed</u> in claim 8, <u>eharacterized</u> in that <u>wherein</u> the particulate substrate is selected from the group comprising pigments, fillers, fibers, nano particles, and particles of colloidal or micellar systems.
- 11. (Currently Amended) A <u>The</u> method as <u>defined</u> claimed in any one of claims 1 to 10, characterized in that <u>further comprising the step of coating</u> the surface of the substrate is coated with a nano layer of a polymer.
- 12. (Currently Amended) A substrate having a polymer-coated surface, produced by a method as defined claimed in any one of claims 1 to 11.
- 13. (Currently Amended) A <u>The</u> method as <u>defined</u> in claim 12, eharacterized in that <u>wherein</u> the coating is a nano layer.
- 14. (Currently Amended) A <u>The</u> method as <u>defined claimed</u> in claim 12 or <u>claim 13</u>, <u>characterized in that wherein</u> the substrate is a metallic substrate.

In re Appln. of Schauer et al. Application No. 10/775,889

- 15. (Currently Amended) A <u>The</u> method as <u>defined</u> in claim 14, <u>characterized in that wherein</u> the substrate is made of steel, galvanized steel, aluminum, or an aluminum alloy.
- 16. (Currently Amended) A <u>The</u> method as <u>defined claimed</u> in <u>any one of claims 12</u> to 15, <u>characterized in that wherein</u> the substrate is a particulate substrate, selected from the group comprising pigments, fillers, fibers or lamellar particles, nano particles, and particles of colloidal or micellar systems.